



what are composite DFOS sensors?

Composite

Distributed

Fibre

Optic

Sensing

This breakthrough
technology has created
the ability to observe
distribution of different
phenomena over the
entire length of the fibre,
which can be hundreds
of kilometers long.

what are their applications?

 long-term structural health monitoring of engineering structures

 geotechnical and hydrotechnical engineering (i.e. slurry and retaining walls, piles, concrete columns, dams, embankments)

line structures
 (roads, bridges, tunnels, railway lines, pipelines and others)

Sense the difference

Conventional sensing cables

slipping layers = distorted readouts
(cannot give accurate measurements)

low measurement range ± 1% (cannot measure large local strains caused by cracks and fractures)

unable to detect some phenomena (cannot be used as a reference tool in scientific surveys)

fragile & easy to yield (cannot be used as a substitute for steel reinforcement)

designed to remember events

(cannot monitor actual state of the structure)

NERVE composite DFOS sensors

no layers = reliable readouts (can give accurate measurements)

high measurement range ± 4% (can measure large local strains caused by cracks and fractures)

sharp and accurate view of any phenomena (can be used as a reference tool in scientific surveys)

durable & heavy duty

(can be used as a substitute for steel reinforcement)

designed for structural health monitoring

(can assess the actual state of the structure)

Perfect body

of the NERVE composite DFOS sensors

fit and strong

- excellent representation of the monitored phenomena thanks to adequate stiffness and ribbed surface
- can replace steel reinforcement
- can cover very long distances

monolithic structure

• sensor readings perfectly reflect the observed phenomena because there are no intermediate layers separating the fibre from the structure

unique shape

 ensures perfect integration between the sensor and surrounding structure, which provides the highest quality of information

3D measurements

 accurate analysis assured by direct displacement (shape) measurement by the 3DSensor

your desired size

 different sensor dimensions are available depending on project requirements



Expanding family

of NERVE composite

DFOS sensors

EpsilonRebar

EpsilonSensor

3DSensor

Common in the family:


- innovative technology that outrivals any other DFOS sensors on the market
- low sensor cost
- easy and fast installation
- high mechanical and chemical resistance
- resistance to electromagnetic interference
- unrivalled measuring range
- excellent integration with the monitored structure
- reliability and high precision
- compatible with any DFOS measuring technique (Rayleigh, Brillouin, Raman)


EpsilonRebar



the world's first monolithic strain DFOS sensor designed for direct embedding into the structural member, concrete or soil.









EpsilonSensor

the world's first composite DFOS sensor with strain range up to 4% and elasticity behavior of monitored structure.







3DSensor

the world's first shape DFOS sensor for geotechnics and civil engineering, reflects displacements of the structure in 3D space along its entire length.
















QUAKELOGIC

